

AFLL

# UNIT -3

CLASS NOTES

feedback/corrections: vibha@pesu.pes.edu


Vibha Masti

# CONTEXT-FREE LANGUAGES

push down automata

- With memory

Chomsky Hierarchy




## Context-Free Languages

- Compiler design
- CFAs used for syntax analysis
- $a^n b^n \rightarrow \text{CFL}$

$aabb \rightarrow (( ))$

Parenthesis matching



CFL

- 1) Context-free grammar
- 2) Push down automata


FA + memory  $\rightarrow$  PDA  
5 tuple

$Q$   
 $\Sigma$   
 $\delta$   
 $q_0$   
 $F$

7 tuple

$Q$   $\rightarrow$  state  
 $\Sigma$   $\rightarrow$  symbols  
 $(\Gamma)$   $\rightarrow$  stack  
 $\delta$   $\rightarrow$  transition function  
 $q_0$   $\rightarrow$  start state  
 $z_0$   $\rightarrow$  bottom of stack  
 $F$   $\rightarrow$  final state

## Model of PDA



## CFGs

- 1) Linear grammar  $\rightarrow$  1 non-terminal, any pos
- 2) Non-linear grammar  $\rightarrow$  any no. of non-terminals

$$G = \{ V, T, P, S \}$$

variables  
 non-terminals  
 (uppercase)

terminals  
 (lowercase)

start variable  
 prod. rules

## LINEAR GRAMMAR

### Question 1

$$L = \{ a^n b^n \mid n \geq 0 \}$$

$$S \rightarrow aSb \mid \lambda$$

## Question 2

$L = \{ww^R \mid w \in \{a,b\}^*\}$  (even palindrome)

$$= \{\lambda, aa, bb, abba, \dots\}$$

$$S \rightarrow aSa \mid bSb \mid \lambda$$

## Question 3

odd palindrome

$$S \rightarrow aSa \mid bSb \mid x$$

## Question 4

$\{ww^R, w \in (ab)^* + (ba)^*\}$

$$S \rightarrow abSba \mid baSab \mid \lambda$$

## Question 5

$L = \{a^n w w^R b^n, w \in \{a,b\}^*\}$

$$S \rightarrow aSb \mid A$$

$$A \rightarrow \lambda \mid aAa \mid bAb$$

## Question 6

$L = \{a^n w w^R b^n \mid w \in \{a,b\}^*\}$

$$S \rightarrow aSb \mid A$$

$$A \rightarrow aAa \mid bAb \mid \lambda$$

### Question 7

$$L = \{a^n b^{n+1} \mid n \geq 0\} \quad \Sigma = \{a, b\}^*$$

$$S \rightarrow aSb \mid b$$

### Question 8

$$L = \{a^n b^{2n}, n \geq 0\}$$

$$S \rightarrow aSbb \mid \lambda$$

### Question 9

$$L = \{a^n b^m, n > m\}$$

$$S \rightarrow aSb \mid a \mid as$$

### Question 10

$$L = \{a^n b^{n-3} \mid n \geq 3\}$$

$n=3$	$3a$	$0b$
$n=4$	$4a$	$1b$
$n=5$	$5a$	$2b$

$$S \rightarrow aSb \mid aaa$$

### Question 11

$$\mathcal{L} = \{a^n b^m, a \neq b\}$$

$$\begin{aligned} S &\rightarrow A \mid B \\ A &\rightarrow aAb \mid a \mid aA \\ B &\rightarrow aBb \mid b \mid bB \end{aligned}$$

### Question 12

$$\mathcal{L} = \{a^n b^m, n = 2 + (m \bmod 3)\}$$

$m = 0$	$n = 2$	aa
$m = 1$	$n = 3$	aaab
$m = 2$	$n = 4$	aaaa bb
$m = 3$	$n = 2$	aa bbb
$m = 4$	$n = 3$	aaa bbbb
$m = 5$	$n = 4$	aaa bbbbb

$$\begin{aligned} S &\rightarrow aaA \mid aaabA \mid aaaa bbA \\ A &\rightarrow bbbA \mid \lambda \end{aligned}$$

### Question 13

$$\mathcal{L} = \{a^{n+2} b^m \mid m > n, n \geq 0\}$$

$$S \rightarrow aSb \mid bS \mid aab$$

### Question 14

$$L = \{a^n b^m c^m d^n \mid n, m \geq 1\}$$

$$\begin{array}{l} S \rightarrow aSd \mid aAd \\ A \rightarrow bAc \mid bc \end{array}$$

### Question 15

$$L = \{a^n b^m c^k \mid k = n+m, n, m, k \geq 0\}$$

$$a^n b^m c^m c^n$$

$$\begin{array}{l} S \rightarrow aSc \mid A \\ A \rightarrow bAc \mid \lambda \end{array}$$

### Question 16

$$L = \{a^n b^m c^k, k = n+2m, n, m, k \geq 0\}$$

$$a^n b^m c^{2m} c^n$$

$$\begin{array}{l} S \rightarrow aSc \mid A \\ A \rightarrow bAcc \mid \lambda \end{array}$$

### Question 17

$$L = \{|w| \bmod 3 \neq |w| \bmod 2\} \quad \Sigma = \{a\}^*$$

	mod 2	mod 3
$\lambda$	0	0 <span style="color: blue;">X</span>
a	1	1 <span style="color: blue;">X</span>
$a^2$	0	2 <span style="color: blue;">✓</span>
$a^3$	1	0 <span style="color: blue;">✓</span>

$a^4$	aaaa	0	1	✓
$a^5$	aaaaa	1	2	✓
	aaaaaa	0	0	✗

$$L = \{a^2, a^3, a^4, a^5, a^6, a^8, a^{10}, a^{11}\}$$

$$\begin{aligned} S &\rightarrow aaA \mid aaaA \mid aaaaA \mid aaaaaA \\ A &\rightarrow aaaaaaA \mid \lambda \end{aligned}$$

## NON-LINEAR GRAMMAR

context-free

### Question 18

$$L = \{uvwv^R \mid |u|=|w|=2, v \geq 1, \Sigma = \{a,b\}^*\}$$

$$\begin{aligned} S &\rightarrow AB \\ A &\rightarrow aa \mid bb \mid ab \mid ba \\ B &\rightarrow aBa \mid bBb \mid A \end{aligned}$$


### Question 19

$$L = \{n_a(w) = n_b(w) \mid w \in \{a,b\}^*\}$$

$$S \rightarrow aSb \mid bSa \mid \lambda \quad \leftarrow \text{does not accept abba}$$



$$S \rightarrow aSb | bSa | SS$$



### Question 20

$$\mathcal{L} = \{ n_a(w) = n_b(w) + 1 \}$$

$$S \rightarrow aSb | bSa | abs | bas | a$$

OR

$$\begin{aligned} S &\rightarrow AaA \\ A &\rightarrow aAb | bAa | AA | \lambda \end{aligned}$$

### Question 21

$$\mathcal{L} = \{ n_a(w) = 2 \times n_b(w) \}$$

$$S \rightarrow bSaSa | asasb | asbsa | ss | \lambda$$

### Question 22

$$L = \{ n_a(w) > n_b(w) \mid w \in \{a,b\}^* \}$$

$$S \rightarrow AaA$$

$$A \rightarrow aAb \mid bAa \mid aA \mid Aa \mid AA \mid \lambda$$

### Question 23

$$L = \{ n_a(w) \neq n_b(w), w \in \{a,b\}^* \}$$

$$S \rightarrow AaA \mid BbB$$

$$A \rightarrow aAb \mid bAa \mid aA \mid Aa \mid \lambda$$

$$B \rightarrow aBb \mid bBa \mid bB \mid Bb \mid \lambda$$

### Question 24

$$L = \{ a^n b^n \cup a^n b^{2n} \}$$

$$S \rightarrow S_1 \mid S_2$$

$$S_1 \rightarrow aS_1 b \mid \lambda$$

$$S_2 \rightarrow aS_2 b b \mid \lambda$$

# COMPILER DESIGN (C LANG)

## ① Proper Nesting of Parentheses

1) Simple nesting → ((( )))  
 $s \rightarrow (s) | \lambda$

2) Proper nesting → (( ) ( ) ( ))  
 $s \rightarrow (s) | ss | \lambda$

3) Multiple kinds of brackets  
 $s \rightarrow (s) | [s] | \{s\} | ss | \lambda$

## ② Arithmetic Expressions

$\Sigma = \{ +, *, /, -, (, ), \text{num}, \%, \text{identifier}, ^ \}$

/ literal      / variable


$E \rightarrow E+E | E-E | E*E | E/E | E\%E | (E) | E^E | \text{id} | \text{num}$

## ③ Variable declaration

int x;  
type    list  
int (a, b, c);  
list    type    list

D → Type List  
List → List, id | id  
Type → int | float | double | char

parse tree  
for int a, b, c;



#### ④ Nested if - else

```
if (cond) {
    statement
}
else {
    if (cond) {
        statement
    }
    statement
}
```

$$\Sigma = \{ \text{if, cond, statement, else, \{\}, \}} \}$$

$s \rightarrow \text{if cond } s \mid \text{if cond } s \text{ else } s \mid \{ \text{statement} \}$

## ⑤ Function Prototype

return-type name ( type , type );  
return-type name ( type name );  
return-type name ( ) ;

S → Ret name ( Args );

Ret → void | Type

Type → char | float | int | double


Args → λ | ArgList | void

ArgList → ArgList, One Arg | One Arg

One Arg → Type name | Type

Parse tree for

void name ( int name, char name );



## Derivations for Non-Linear Grammars

### 1) Leftmost Derivation (LMD)

- always expand leftmost sentential form

### 2) Rightmost Derivation (RMD)

- always expand rightmost sentential form


note:  
cannot mix!  
MUST do  
LMD or  
RMD

### Question 25


$$S \rightarrow aSb \mid bSa \mid SS \mid \lambda \quad (\text{expand LMD \& RMD})$$

$$w = abba$$

LMD



RMD



sentential forms

non terminals

terminals

# parsing & ambiguity

## Ambiguous grammar

- A grammar is said to be ambiguous iff there exists a string  $w$  that belongs to the grammar and there exist  $\boxed{2}$  diff. LMDs or  $\boxed{2}$  diff RMDs for the string (or parse trees)

- $G = \{V, T, P, S\}$ 
  - four-tuple
  - terminals
  - production rules
  - start symbols
  - non-terminals

## Question 26

Is the grammar ambiguous?

$$\Sigma = \{+, *, /, -, (), \text{var}, \%, \text{constant}, ^n\}$$


variable      literal

$$E \rightarrow E+E \mid E-E \mid E*E \mid E/E \mid E\%E \mid (E) \mid E^nE \mid \text{var} \mid \text{constant}$$

$$w = a+b*c$$


## Derivation #1

		using
$E \xrightarrow{\text{lm}}$	$E + E$	$E \rightarrow E + E$
$E \xrightarrow{\text{lm}}$	$a + E$	$E \rightarrow a$
$E \xrightarrow{\text{lm}}$	$a + E * E$	$E \rightarrow E * E$
$E \xrightarrow{\text{lm}}$	$a + b * E$	$E \rightarrow b$
$E \xrightarrow{\text{lm}}$	$a + b * c$	$E \rightarrow c$



### Derivation #2

$$\begin{array}{ll}
 E \xrightarrow{Lm} E * E & E \rightarrow E * E \\
 \xrightarrow{Lm} E + E * E & E \rightarrow E + E \\
 \xrightarrow{Lm} a + E * E & E \rightarrow a \\
 \xrightarrow{Lm} a + b * E & E \rightarrow b \\
 \xrightarrow{Lm} a + b * c & E \rightarrow c
 \end{array}$$



- This is not desirable (giving compiler a choice)
- Order of operations
- Should not retain such grammars

Note:

- There is no algorithm to prove that a grammar is ambiguous.
- Must take an example and derive (start from minimal length)

### Question 27

Find if the grammar is ambiguous or not.



$$S \rightarrow aS \mid Sa \mid \lambda$$

1) length = 0

$w = \lambda$ ; cannot derive further

2) length is 1

$w = 1$



$$\begin{aligned} S &\xrightarrow{\text{L1}} aS \\ &\Rightarrow a\lambda \end{aligned}$$

$$\begin{aligned} S &\xrightarrow{\text{L2}} Sa \\ &\Rightarrow \lambda a \end{aligned}$$

∴ the grammar is ambiguous

## Question 28

$s \rightarrow aSbS \mid bSaS \mid \lambda$

1) length = 0


$w = \lambda$ ; unambiguous

2) length = 2

$w = ab$  or  $w = ba$ ; unambiguous

4) length = 4

$w = abab$



$s \xrightarrow{lm}$


- $\Rightarrow aSbS$
- $\Rightarrow abS$
- $\Rightarrow abaaSbS$
- $\Rightarrow ababsS$
- $\Rightarrow abab$

$s \rightarrow aSbS$   
 $s \rightarrow \lambda$   
 $s \rightarrow aSbS$   
 $s \rightarrow \lambda$   
 $s \rightarrow \lambda$   
 $s \rightarrow \lambda$

$s \xrightarrow{lm}$

- $\Rightarrow aSbS$
- $\Rightarrow abSaSbS$
- $\Rightarrow abaaSbS$
- $\Rightarrow ababsS$
- $\Rightarrow abab$

$s \rightarrow aSbS$   
 $s \rightarrow bSaS$   
 $s \rightarrow \lambda$   
 $s \rightarrow \lambda$   
 $s \rightarrow \lambda$




The grammar is ambiguous

## Question 29


$$R \rightarrow R+R \mid RR \mid R^* \mid a \mid b \mid c$$

$$w = a+b+c$$



$$\begin{aligned} R &\xrightarrow{\text{lm}} R+R \\ &\Rightarrow a+R \\ &\Rightarrow a+RR \\ &\Rightarrow a+bR \\ &\Rightarrow a+b+c \end{aligned}$$

$$\begin{aligned} R &\rightarrow R+R \\ R &\rightarrow a \\ R &\rightarrow RR \\ R &\rightarrow b \\ R &\rightarrow c \end{aligned}$$



$$\begin{aligned} R &\xrightarrow{\text{lm}} RR \\ &\Rightarrow R+RR \\ &\Rightarrow a+RR \\ &\Rightarrow a+bR \\ &\Rightarrow a+b+c \end{aligned}$$

$$\begin{aligned} R &\rightarrow RR \\ R &\rightarrow R+RR \\ R &\rightarrow R+R \\ R &\rightarrow a \\ R &\rightarrow b \\ R &\rightarrow c \end{aligned}$$

The grammar is ambiguous

### Question 30

$$S \rightarrow AB \mid aaB$$

$$A \rightarrow a \mid Aa$$



$$B \rightarrow b$$

1) length = 2

ab ; unambiguous

2) length = 3

w = aaB



$$\begin{aligned} S &\xrightarrow{\text{Un}} AB \\ &\Rightarrow AaB \\ &\Rightarrow aaB \\ &\Rightarrow aab \end{aligned}$$

$$\begin{aligned} S &\rightarrow AB \\ A &\rightarrow Aa \\ A &\rightarrow a \\ B &\rightarrow b \end{aligned}$$

$$\begin{aligned} S &\xrightarrow{\text{Un}} aAB \\ &\Rightarrow aab \end{aligned}$$

$$\begin{aligned} S &\rightarrow aaB \\ B &\rightarrow b \end{aligned}$$

Grammar is ambiguous


### Question 3)

$S \rightarrow 1S | 11S | \lambda$


1) length = 0  
unambiguous

2) length = 1  
unambiguous

3) length = 2




$$\begin{array}{l} S \xrightarrow{\text{length}} 1S \\ \Rightarrow 11S \\ \Rightarrow \lambda \end{array} \quad \begin{array}{l} S \rightarrow 1S \\ S \rightarrow 1S \\ S \rightarrow \lambda \end{array}$$



$$\begin{array}{l} S \xrightarrow{\text{length}} 11S \\ \Rightarrow \lambda \end{array} \quad \begin{array}{l} S \rightarrow 11S \\ S \rightarrow \lambda \end{array}$$

## Grammar Ambiguous vs Language Ambiguous

- Ambiguous language: all grammars are ambiguous
- Inherently ambiguous  $\rightarrow$  language is ambiguous



### Question 32

check for ambiguity

$$L = \{a^n b^n c^m\} \cup \{a^n b^m c^m\} \quad n, m \geq 0$$

$$L = L_1 \cup L_2$$



$$\begin{aligned} G_1 \quad S_1 &\rightarrow S_1 c \mid A \\ A &\rightarrow aAb \mid \lambda \end{aligned}$$

$$\begin{aligned} G_2 \quad S_2 &\rightarrow aS_2 \mid B \\ B &\rightarrow bBc \mid \lambda \end{aligned}$$

$$\begin{aligned} S &\rightarrow S_1 \mid S_2 \\ S_1 &\rightarrow S_1 c \mid A \\ A &\rightarrow aAb \mid \lambda \\ S_2 &\rightarrow aS_2 \mid B \\ B &\rightarrow bBc \mid \lambda \end{aligned}$$

$$a^n b^n c^n \rightarrow abc \text{ smallest}$$

$w = abc$



$$\begin{aligned} S &\xrightarrow{\text{LM}} S_1 & S \rightarrow S_1 \\ &\Rightarrow S_1, C & S \rightarrow S_1 \\ &\Rightarrow a, Ab, C & S_1 \rightarrow S_1 \\ &\Rightarrow abc & S_1 \rightarrow a, Ab \\ && A \rightarrow \lambda \end{aligned}$$

$$\begin{aligned} S &\xrightarrow{\text{RM}} S_2 & S \rightarrow S_2 \\ &\Rightarrow a, S_2 & S_2 \rightarrow a, S_2 \\ &\Rightarrow ab, B, C & S_2 \rightarrow b, B, C \\ &\Rightarrow abc & B \rightarrow \lambda \end{aligned}$$



$L$  is inherently ambiguous (only one grammar)

### Question 33

$$G = S \rightarrow SaS \mid b$$

length 1  $\times$   
length 3  $\rightarrow bab \times$

length 5  $\rightarrow$  babab



$$\begin{array}{ll}
 S \xrightarrow{\text{un}} Sas & S \rightarrow Sas \\
 \Rightarrow Sasas & S \rightarrow Sas \\
 \Rightarrow basas & S \rightarrow b \\
 \Rightarrow babas & S \rightarrow b \\
 \Rightarrow babab & S \rightarrow b \\
 \Rightarrow babab & S \rightarrow b
 \end{array}$$

$$\begin{array}{ll}
 S \xrightarrow{\text{un}} Sas & S \rightarrow Sas \\
 \Rightarrow bas & S \rightarrow b \\
 \Rightarrow basas & S \rightarrow Sas \\
 \Rightarrow babas & S \rightarrow b \\
 \Rightarrow babab & S \rightarrow b \\
 \Rightarrow babab & S \rightarrow b
 \end{array}$$

$g$  is ambiguous

$$\mathcal{L} = \{b, bab, babab, bababab, \dots\}$$

$$RE : b(ab)^* \text{ or } (ba)^*b$$


$$\begin{array}{l}
 S \rightarrow Ab \\
 A \rightarrow baA \mid \lambda
 \end{array}
 \quad \boxed{\text{unambiguous}}$$

### Question 34

$$S \rightarrow aas \mid aaas \mid \lambda$$


length 0 — X  
 length 2 — X  
 length 3 — X  
 length 4 — X

length 5 — aaaaa



$$\begin{aligned}
 S &\xrightarrow{\text{un}} aas \\
 &\Rightarrow aa \ aas \\
 &\Rightarrow aaaaa
 \end{aligned}$$

$$\begin{aligned}
 S &\rightarrow aas \\
 S &\rightarrow aaas \\
 S &\rightarrow \lambda
 \end{aligned}$$



$$\begin{aligned}
 S &\xrightarrow{\text{un}} aaas \\
 &\Rightarrow aaaaas \\
 &\Rightarrow aaaaa
 \end{aligned}$$

$$\begin{aligned}
 S &\rightarrow aaas \\
 S &\rightarrow aas \\
 S &\rightarrow \lambda
 \end{aligned}$$

$$\lambda = \{ \lambda, aa, aaa, aaaa, aaaaa \dots \}$$

$$RE = (aa + aaa)^*$$

$$= \lambda + aaa^* \quad (a^n, n=0 \text{ } (n \geq 2))$$

$$G \quad S \rightarrow aaA \mid \lambda \\ A \rightarrow aA \mid \lambda$$

## ELIMINATING AMBIGUITY

Question 35      Make unambiguous

$$E \rightarrow E + E \mid E - E \mid E * E \mid E^{\wedge} E \mid E / E \mid (E) \mid \text{id} \mid \text{num}$$


- highest precedence: last production rule (bottom branch)
- left associativity: non-terminal at left (tree grows from left side)

$+, - \rightarrow$  left associativity  
 $*, / \rightarrow$  left associativity  
 $\wedge \rightarrow$  right associativity

$$\begin{array}{l} E \rightarrow E + T \mid E - T \mid T \\ T \rightarrow T * F \mid T / F \mid F \\ F \rightarrow M^{\wedge} F \mid M \\ M \rightarrow (E) \mid \text{id} \mid \text{num} \end{array}$$

unambiguous grammar

$$W = a + b * c$$



$E \xrightarrow{\text{LR}}$   
 $\Rightarrow E + T$   
 $\Rightarrow T + T$   
 $\Rightarrow F + T$   
 $\Rightarrow M + T$   
 $\Rightarrow a + T$   
 $\Rightarrow a + T * F$   
 $\Rightarrow a + F * F$   
 $\Rightarrow a + M * F$   
 $\Rightarrow a + b * M$   
 $\Rightarrow a + b * c$

### Question 36

$R \rightarrow R + R \mid RR \mid R^* \mid a \mid b \mid c$  make unambiguous

precedence:	+	low	↑
	•		
	*	high	

left associative  
left associative  
no associativity

$$\begin{aligned}
 R &\rightarrow R + A \mid A \\
 A &\rightarrow A B \mid B \\
 B &\rightarrow B^* \mid a \mid b \mid c
 \end{aligned}$$

### Question 37


$$\begin{array}{l} A \rightarrow A \$ B \mid B \\ B \rightarrow B \# C \mid C \\ C \rightarrow C @ D \mid D \\ D \rightarrow B \end{array}$$

Precedence?  
Associativity?

\$ - lowest, left  
# - left  
@ - highest, left

## PUSH DOWN AUTOMATA

- FA + stack



## PDA

$\lambda$ -NFA + memory  $\rightarrow$  PDA

$M = (Q, \Sigma, \delta, q_0, F)$  + memory

$$M = (Q, \Sigma, \delta, q_0, F, (z_0, \Gamma))$$

↑ top  
 bottom of stack      stack symbols

### i) Deterministic PDA (DPDA)

- input symbol, current state, top of stack — one move
- end of every string is  $\lambda$ ; must show transition
- similar to DFA
- accepts only deterministic CFLs

$$\delta = Q \times (\Sigma \cup \lambda) \times T \rightarrow Q \times \Gamma^*$$

↑ state      ↑ input symbol      ↑ top      ↗ pop/push

### 2) Non-deterministic PDA (NPDA)

- $\lambda$  is a symbol
- end of every string is  $\lambda$ ; must show transition
- more powerful than DPDA
- accepts any CFL


$$\delta = Q \times (\Sigma \cup \lambda) \times T \rightarrow 2^{Q \times \Gamma^*}$$

↑ state      ↑ input symbol      ↑ top      ↗ pop/push


## Configuration of Machine

i) Push

Representation



2) Pop



## Tracing Operation

- To trace operation of PDA, we keep track of the current state, current stack contents, unread part of the input string
- Called a triplet  $(q, w, u)$  — instantaneous description of machine

current state of machine  $q \in Q$

set of input symbols remaining on input tape  $w$

current stack contents  $u$

## Acceptance of String

### 1) Final state acceptance

- final state when all inputs have been read
- in  $M = (Q, \Sigma, q_0, F, \delta, z_0, \Gamma)$

### 2) Empty stack

- stack empty when all input symbols have been read

$$(q, w, u) = (p, \lambda, \lambda)$$

↑                      ↑  
 empty            empty  
 tape            stack  
 (string)  
 ↓  
 no final state


- $M = (Q, \Sigma, q_0, \emptyset, \delta, z_0, \Gamma)$

## Question 38


$$L = \{a^n b^n \mid n \geq 1\}$$

$$S \rightarrow aSb \mid ab$$


- push a, pop b



## Final state Acceptance



## Empty Stack Acceptance



do not show  
extra final  
state for empty  
stack acceptance

## Transition Function

w = aabb

$$\delta(q_0, a, z_0) = (q_0, az_0)$$

next state      elements of stack (Q)

$$\delta(q_0, a, a) = (q_0, aa)$$

$$\delta(q_0, b, a) = (q_1, \lambda)$$

pop

$$\delta(q_1, b, a) = (q_1, \lambda)$$

$$(a) \quad \delta(q_1, \lambda, z_0) = (q_f, z_0) \rightarrow \text{final state}$$

$$(b) \quad \delta(q_1, \lambda, z_0) = (q_1, z_0) \rightarrow \text{empty stack}$$

## Instantaneous Description


$(q, w, u)$   
 $w = aabb$   
Turnstile notation  
 $\leftarrow$   
 $(q_0, aabb, z_0) \vdash (q_0, -abb, az_0)$   
 $\vdash (q_0 --bb, aa z_0)$   
 $\vdash (q_1, ---b, az_0)$   
 $\vdash (q_1, ----, z_0)$   
 $\vdash (q_1, \lambda, z_0)$   
 $\vdash (q_f, z_0) \text{ — final state}$

$\vdash^*$  : sequence of moves  
 $\vdash$  : move

## Question 39

$$n_a(w) = n_b(w) \quad (\text{order unimportant})$$


$(a:b|\lambda)$   
 $(a:a|aa)$   
 $(a:z_0|az_0)$



### Question 40


$$\mathcal{L} = \{a^n b^m c^n \mid n, m \geq 1\}$$

match a & c  
no operation for b



### Question 41

$$\mathcal{L} = \{a^n b^n c^m \mid n, m \geq 1\}$$



### Question 42

$$\mathcal{L} = \{a^n b^m c^{m+n}, n, m \geq 1\}$$


if  $n, m \geq 0$ ,  
 $q_0$  is accepting state

a:  $z_0 | a z_0$

a: a | aa

b: a | ba

b: b | bb




### Question 43

$$\mathcal{L} = \{a^n b^{2n} | n \geq 1\}$$

abb, aabbbaab


### Solution 1

Push 2 a's



## Solution 2


Pop at alternate b's



## Question 44


$$L = \{ a^n b^{2n+1} \mid n \geq 1 \}$$

final state accepting




## Question 45

$$L = \{ a^n b^{m+n} c^m \}$$




### Question 46

$$L = \{ a^{m+n} b^m c^n \mid m, n \geq 1 \}$$



### Question 47


$$L = \{ n_a(w) > n_b(w) \}$$



$(a:z_0|az_0)$   
 $(a:a|aa)$   
 $(b:z_0|bz_0)$   
 $(b:b|bb)$   
 $(a:b|\lambda)$   
 $(b:a|\lambda)$

### Question 48

$$L = \{ n_a(w) \neq n_b(w) \}$$




$(a:z_0|az_0)$   
 $(a:a|aa)$   
 $(b:z_0|bz_0)$   
 $(b:b|bb)$   
 $(a:b|\lambda)$   
 $(b:a|\lambda)$

#### Question 49

$L = \{wczw^R \mid w \in \{a,b\}^*\}$  odd palindrome

$\overbrace{abcba}^w \overbrace{ba}^{w^R}$




$(a:z_0|az_0)$   
 $(a:a|aa)$   
 $(a:b|ab)$   
 $(b:z_0|bz_0)$   
 $(b:b|bb)$   
 $(b:a|bb)$


# NON-DETERMINISTIC PDA

## Question 50


$L = \{ww^R \mid w \in \{a,b\}^*\}$  even palindrome



## Instantaneous description




## continuation



## Question 51


$$L = \{ a^n b^n \cup a^n b^{2n} \mid n \geq 1 \} \quad NPDA$$



## Question 52


$$L = \{a^i b^j c^k d^l \mid i=k \text{ or } j=l; i, j, k, l \geq 1\}$$

$$n_a(w) = n_c(w) \text{ or } n_b(w) = n_d(w)$$



# normal forms

- Standard rules to right CFG
- For efficient parsing
- Normalised form
- RHS of productions should become useful



- CNF is used by efficient parsing algorithm (CYK algorithm)
- GNF rules state that string of length  $n$  requires only  $n$  steps

## CHOMSKY NORMAL FORM

- Restricts no. of symbols on the right side of a production to be two
- Parse tree for derivation is a binary tree
- Every derivation of a string of  $n$  letters has exactly  $2n-1$  steps
- There can be more than one CNF for a CFG
- All CFGs can be converted to CNF

## Rules

1) A non-terminal generating terminal

$$X \rightarrow x$$

2) A non-terminal generating two non-terminals

$$X \rightarrow XY$$

3) Only start symbol can generate  $\lambda$ , only if  $\lambda$  is a part of the language

$$S \rightarrow \lambda$$

## Cleaned Grammar

- Before converting to CNF, the grammar must be cleaned (should not have a  $\lambda$  production except for the start symbol)
- If any variable produces  $\lambda$ , it is called a nullable variable
- Should not have unit productions (no useful operation)
- No useless productions (must remove)
  - 1) Non-generating variables  $S \rightarrow aSb|S$  ← never terminates
  - 2) Unreachable variables  $S \rightarrow aSba ; A \rightarrow aAb$  ← unreachable
- The steps must be followed in order
  - 1) Eliminate  $\lambda$  productions
  - 2) Eliminate unit productions → each step must increase length of sentential form or no. of terminals
  - 3) Eliminate useless productions

### Question 53

Clean up nullable variables (NOT CNF)

$$S \rightarrow ASA \mid aB$$

$$A \rightarrow B \mid S$$

$$B \rightarrow b \mid \lambda$$

removed  $B \rightarrow \lambda$

$$S \rightarrow ASA \mid aB \mid a$$

$$A \rightarrow B \mid \lambda \mid S$$

$$B \rightarrow b$$

removed  $A \rightarrow \lambda$

$$S \rightarrow ASA \mid AS \mid SA \mid S \mid aB \mid a$$

$$A \rightarrow B \mid S$$

$$B \rightarrow b$$

### Question 54

Clean up unit productions (NOT CNF)

replace with RHS


$$S \rightarrow Aa \mid B$$

$$B \rightarrow A \mid bb$$

$$A \rightarrow abc \mid B$$

Dependency graph

TODO:  
verify



$$S \rightarrow Aa \mid bb \mid abc$$

$$B \rightarrow abc \mid bb$$

$$A \rightarrow abc \mid bb$$

]

Replace B  
with RHS of B &  
its dependencies

## Question 55

clean up useless productions

$$(a) \quad S \rightarrow aSb|\lambda|A$$

$A \rightarrow aA \leftarrow$  useless (cannot terminate)

$$S \rightarrow aSb|\lambda$$

$$(b) \quad S \rightarrow aS|AB|\lambda$$

$$A \rightarrow bA$$

$$B \rightarrow AA$$

$$S \rightarrow aS|\lambda$$

## Question 56

$$S \rightarrow aB|bx$$

$$A \rightarrow \underline{B}ad|bsx|\lambda$$

$$B \rightarrow aSB|bBX \leftarrow$$
 useless (no terminal)
$$X \rightarrow \underline{SBD}|aBX|ad$$

removing B

$$S \rightarrow bX$$

$$A \rightarrow bSX|\lambda \leftarrow$$
 not reachable
$$X \rightarrow ad$$

removing A

$$S \rightarrow bX$$

$$X \rightarrow ad$$

## Question 5]

Convert CFG to CNF

$$\begin{aligned} S &\rightarrow aA | aBB \\ A &\rightarrow aaA | \lambda \\ B &\rightarrow bB | bbC \\ C &\rightarrow B \end{aligned}$$

1) Remove  $\lambda$  productions

$$\begin{aligned} S &\rightarrow aA | a | aBB && \leftarrow \text{account for } \lambda \\ A &\rightarrow aaA | aa && \leftarrow (\text{with } \epsilon \text{ without}) \\ B &\rightarrow bB | bbC \\ C &\rightarrow B \end{aligned}$$

2) Remove unit productions

$$\begin{aligned} S &\rightarrow aA | a | aBB \\ A &\rightarrow aaA | aa \\ B &\rightarrow bB | bbC \\ C &\rightarrow bB | bbC \end{aligned}$$

replace  $C \rightarrow B$  with  
B's RHS

3) Remove useless productions

$$\begin{aligned} S &\rightarrow aA | a \\ A &\rightarrow aaA | aa \end{aligned}$$

remove B & C  
(non-terminating)

4) Convert to CNF

$$\begin{aligned} S &\rightarrow BA | a \\ A &\rightarrow BBA | BB \\ B &\rightarrow a \end{aligned}$$

introduce B  
(non-terminal)

not yet in CNF



$$\begin{aligned}
 S &\rightarrow BA|a \\
 A &\rightarrow DA|BB \\
 B &\rightarrow a \\
 D &\rightarrow BB
 \end{aligned}$$

### Question 5b

$$\begin{aligned}
 S &\rightarrow Aa|B|Ca \\
 B &\rightarrow aB|b \\
 C &\rightarrow Db|D \\
 D &\rightarrow E|d \\
 E &\rightarrow ab
 \end{aligned}$$

#### D Unit productions

Dependency graph



$S \rightarrow Aa|aB|b|Ca$  no RHS  
 $B \rightarrow aB|b$   
 $C \rightarrow Db|ab|d$   
 $D \rightarrow ab|d$   
 $E \rightarrow ab$  unreachable

## 2) Useless productions

$$S \rightarrow aB \mid b \mid Ca$$

$$B \rightarrow aB \mid b$$

$$C \rightarrow Db \mid abId$$

$$D \rightarrow abId$$

## 3) Convert to CNF

$$S \rightarrow AB \mid b \mid CA$$

$$A \rightarrow a$$

$$B \rightarrow AB \mid b$$

$$C \rightarrow DE \mid AE \mid d$$

$$E \rightarrow b$$

$$D \rightarrow AE \mid d$$

## Question 59

$$\begin{array}{l} S \rightarrow ABA \\ A \rightarrow aab \\ B \rightarrow Ac \end{array}$$

clean  
grammar

$$X \rightarrow a$$

$$Y \rightarrow b$$

$$Z \rightarrow c$$

$$S \rightarrow ABX$$

$$A \rightarrow XXY$$

$$B \rightarrow AZ$$



$$X \rightarrow a$$

$$Y \rightarrow b$$

$$Z \rightarrow c$$

$$W \rightarrow AB$$

$$V \rightarrow XY$$

$$S \rightarrow WX$$

$$A \rightarrow XV$$

$$B \rightarrow AZ$$

## Question 60

$$S \rightarrow aSa \mid bSb \mid A \mid \lambda$$

$$A \rightarrow a \mid b \mid \lambda$$

1) Nullable variables

- language accepts  $\lambda$

$$S \rightarrow \lambda \mid aSa \mid bSb \mid aa \mid bb \mid A$$

$$A \rightarrow a \mid b$$

2) Unit production

$$S \rightarrow \lambda \mid aSa \mid bSb \mid aa \mid bb \mid a \mid b$$

$$A \rightarrow a \mid b$$

3) Useless production

$$S \rightarrow \lambda \mid aSa \mid bSb \mid aa \mid bb \mid a \mid b$$

4) Convert to CNF

$$A \rightarrow a$$

$$B \rightarrow b$$

$$S \rightarrow \lambda \mid ASA \mid BSB \mid AA \mid BB \mid a \mid b$$



$$S \rightarrow \lambda \mid (A \mid DB) \mid AA \mid BB \mid a \mid b$$

$$A \rightarrow a$$

$$B \rightarrow b$$

$$C \rightarrow AS$$

$$D \rightarrow BS$$

## Question 6)

$$S \rightarrow a|aA|B$$

$$A \rightarrow aBB|\lambda$$

$$B \rightarrow Aalb$$

1) Remove  $\lambda$

$$S \rightarrow a|aA|B$$

$$A \rightarrow aBB$$

$$B \rightarrow Aalb|a$$

2) Remove unit

$$S \rightarrow a|aA|Aalb$$

$$A \rightarrow aBB$$

$$B \rightarrow Aalbla$$

3) Convert to CNF (no useless)

$$S \rightarrow a|XA|AX|b$$

$$X \rightarrow a$$

$$A \rightarrow XBB$$

$$B \rightarrow AX|b|a$$

Let  $BB \Rightarrow Y$

$$S \rightarrow a|XA|AX|b$$

$$X \rightarrow a$$

$$A \rightarrow XY$$

$$Y \rightarrow BB$$

$$B \rightarrow AX|b|a$$

## Question 62

$$S \rightarrow ASA|aB$$

$$A \rightarrow B|S$$

$$B \rightarrow b|\lambda$$

1) Remove  $\lambda$

$$S \rightarrow ASA|aB|a$$

$$A \rightarrow \lambda|B|S$$

$$B \rightarrow b$$



$$S \rightarrow ASA|AS|SA|aB|a|S$$

$$A \rightarrow B|S$$

$$B \rightarrow b$$

2) Remove unit

$$S \rightarrow ASA|AS|SA|aB|a$$

$$A \rightarrow b|ASA|AS|SA|aB|a$$

$$B \rightarrow b$$

3) Convert

$$S \rightarrow XA|AS|SA|YB|a$$

$$X \rightarrow AS$$

$$Y \rightarrow a$$

$$A \rightarrow b|XA|AS|SA|YB|a$$

$$B \rightarrow b$$

### Question 63

$$\begin{aligned}S &\rightarrow axbx \\X &\rightarrow ay|by|\lambda \\Y &\rightarrow x|c \text{ terminal c}\end{aligned}$$

i) Remove  $\lambda$

$$\begin{aligned}S &\rightarrow abx|axb|ab|axbx \\X &\rightarrow ay|by \\Y &\rightarrow \lambda|x|c\end{aligned}$$

)

$$\begin{aligned}S &\rightarrow abx|axb|ab|axbx \\X &\rightarrow a|ay|b|by \\Y &\rightarrow x|c\end{aligned}$$

2) Remove unit

$$\begin{aligned}S &\rightarrow abx|axb|ab|axbx \\X &\rightarrow a|ay|b|by \\Y &\rightarrow a|ay|b|by|c\end{aligned}$$

3) Convert

$$\begin{aligned}A &\rightarrow a \\B &\rightarrow b \\S &\rightarrow ABX|AXB|AB|AXBX \\X &\rightarrow a|AY|b|BY \\Y &\rightarrow a|AY|b|BY|c\end{aligned}$$

)

$$E \rightarrow AX$$

$$D \rightarrow BX$$

$$A \rightarrow a$$

$$B \rightarrow b$$

$$S \rightarrow AD | EB | AB | ED$$

$$X \rightarrow a | AY | b | BY$$

$$Y \rightarrow a | AY | b | BY | c$$

### Question 64

$$S \rightarrow AbA$$

$$A \rightarrow Aa | \lambda$$

1) Remove  $\lambda$

$$S \rightarrow bA | Ab | AbA | b$$

$$A \rightarrow Aa | a$$

2) Convert

$$B \rightarrow b$$

$$S \rightarrow BA | AB | ABA | b$$

$$A \rightarrow Ax | a$$

$$X \rightarrow a$$



$$Y \rightarrow AB$$

$$B \rightarrow b$$

$$S \rightarrow BA | AB | YA | b$$

$$A \rightarrow Ax | a$$

$$X \rightarrow a$$

## Question 65

$$S \rightarrow BAB$$

$$B \rightarrow bba$$

$$A \rightarrow B$$

1) Remove unit

$$S \rightarrow BbbaB$$

$$B \rightarrow bba$$

$$A \rightarrow bba \rightarrow \text{useless}$$

2) Remove useless

$$S \rightarrow BbbaB$$

$$B \rightarrow bba$$

3) Convert

$$X \rightarrow a$$

$$Y \rightarrow B$$

$$S \rightarrow BYYXB$$

$$B \rightarrow YYX$$



$$X \rightarrow a$$

$$Y \rightarrow B$$

$$W \rightarrow YY$$

$$B \rightarrow WX$$

$$Z \rightarrow XB$$

$$S \rightarrow VZ$$

$$V \rightarrow BW$$

## Question 66

$$S \rightarrow aX|Yb$$

$$X \rightarrow S|\lambda$$

$$Y \rightarrow bY|b$$

1) Remove  $\lambda$

$$S \rightarrow aX|a|Yb$$

$$X \rightarrow S$$

$$Y \rightarrow bY|b$$

2) Remove unit

$$S \rightarrow aX|a|Yb$$

$$X \rightarrow aX|a|Yb$$

$$Y \rightarrow bY|b$$

3) Convert

$$S \rightarrow AX|a|YB$$

$$X \rightarrow AX|a|YB$$

$$Y \rightarrow BY|b$$

$$A \rightarrow a$$

$$B \rightarrow b$$

# CYK Algorithm

- Cocke, Younger, Kasami
- Also called membership algorithm / parsing algorithm
- bottom-up parsing
- dynamic programming
- only works with CNF CFGs

## Question 67

$$S \rightarrow AB|BC$$

$$A \rightarrow BA|a$$

$$B \rightarrow CC|b$$

$$C \rightarrow AB|a$$

$$w = baaba$$

## Triangle Table

$$|w|=5$$

can apply cross-product OR use formula (row 2)

(S) AC		← substring length 5				
x <sub>15</sub>						
∅	SCA	← substring length 4				
x <sub>14</sub>	x <sub>25</sub>					
∅	B	B	← substring length 3			
x <sub>13</sub>	x <sub>24</sub>	x <sub>35</sub>				
AS	B	SC	AS	← substring length 2		
x <sub>12</sub>	x <sub>23</sub>	x <sub>34</sub>	x <sub>45</sub>			
B	AC	AC	B	AC	← substring length 1	
x <sub>11</sub>	x <sub>22</sub>	x <sub>33</sub>	x <sub>44</sub>	x <sub>55</sub>		
b	a	a	b	a		

b | a | a | b | a  
1 2 3 4 5

$x_{ij}$  = substring from position i to position j

Substrings of length 1

b a a b a  
1 2 3 4 5 (5 possibilities)

Substrings of length 2

b a a b a  
1 2 3 4 5 (4 possibilities)

Substrings of length 3

b a a b a  
1 2 3 4 5 (3 possibilities)

Substrings of length 4

b a a b a (2 possibilities)

Substrings of length

b a a b a (1 possibility)

Filling the Table

square bracket:  
cross product

$$x_{ij} = [x_{i,i} X x_{i+1,j}] \cup [x_{i,i+1} X x_{i+2,j}] \cup \\ [x_{i,i+2} X x_{i+3,j}] \cup [x_{i,i+3} X x_{i+4,j}] \cup \\ \dots [x_{i,j-1} X x_{j,j}]$$

- for first row, write all non-terminals that produce the terminal

## Using Cross Product

$$x_{12} = B \times AC$$

$$= BA, BC$$

what non-terminals  
produce?

$$= A, S$$

$$x_{12} = AS$$

$$\begin{aligned} S &\rightarrow AB|BC \\ A &\rightarrow BA|a \\ B &\rightarrow CC|b \\ C &\rightarrow AB|a \end{aligned}$$

## Using Formula

$$x_{12} = [x_{11}, x_{22}] \quad i=1, j=2$$

$$= B \times AC$$

$$= A, S$$

$$x_{23} = AC \times AC$$

$$= AA, AC, CA, CC$$

$$= AA, AC, CA, B$$

not produced

$$x_{23} = B$$

$$x_{34} = x_{33} \times x_{44}$$

$$= AC \times B$$

$$= AB, CB$$

$$= S, C$$

$x_{15}$				
$x_{14}$	$x_{25}$			
$x_{13}$	$x_{24}$	$x_{35}$		
$x_{12}$	$x_{23}$	$x_{34}$	$x_{45}$	
B	AC	AC	B	AC
$x_{11}$	$x_{22}$	$x_{33}$	$x_{44}$	$x_{55}$

$$x_{45} = x_{44} \times x_{55}$$

$$= B \times AC$$

$$= BA, BC = A, S$$

$$x_{13} = [x_{11} \times x_{23}] \cup [x_{12} \times x_{33}]$$

$$= [B \times B] \cup [AS \times AC]$$

$$= BB, AA, AC, SA, SC$$

not produced

$$= \emptyset$$

$$S \rightarrow AB|BC$$

$$A \rightarrow BA|a$$

$$B \rightarrow CC|b$$

$$C \rightarrow AB|a$$

$$x_{24} = [x_{22} \times x_{34}] \cup [x_{23} \times x_{44}]$$

$$= [AC \times SC] \cup [B \times B]$$

$$= AS, AC, CS, CC, BB$$

$$= B$$

$$x_{35} = [x_{33} \times x_{45}] \cup [x_{34} \times x_{55}]$$

$$= [AC \times AS] \cup [SC \times AC]$$

$$= AA, AS, CA, CS, SA, SC, CC$$

$$= B$$

$x_{15}$				
$\emptyset$	SCA			
$x_{14}$	$x_{25}$			
$\emptyset$	B	B		
$x_{13}$	$x_{24}$	$x_{35}$		
AS	B	SC	AS	
$x_{12}$	$x_{23}$	$x_{34}$	$x_{45}$	
B	AC	AC	B	AC
$x_{11}$	$x_{22}$	$x_{33}$	$x_{44}$	$x_{55}$

$$x_{14} = [x_{11} \times x_{24}] \cup [x_{12} \times x_{34}] \cup [x_{13} \times x_{44}]$$

$$= [B \times B] \cup [AS \times SC] \cup [\emptyset \times B]$$

$$= BB, AS, SS, AC, SC, \emptyset$$

$$= \emptyset$$

$$x_{25} = [x_{22} \times x_{35}] \cup [x_{23} \times x_{45}] \cup [x_{24} \times x_{55}]$$

$$= [AC \times B] \cup [B \times AS] \cup [B \times AC]$$

$$= AB, CB, BA, BS, BC = SCA$$

S C      A      S

$x_{15} \leftarrow$  if S is present in the cell,  
string belongs to  
grammar

$$x_{15} = [x_{11} \times x_{25}] \cup [x_{12} \times x_{35}] \cup \\ [x_{13} \times x_{45}] \cup [x_{14} \times x_{55}]$$

$$x_{15} = [Bx \text{SCA}] \cup [AS \times B] \cup \\ [\emptyset \times AS] \cup [\emptyset \times AC]$$

(S)AC				
$x_{15}$	$\emptyset$	SCA		
$x_{14}$	$\emptyset$		$B$	$B$
$x_{13}$	$\emptyset$		$B$	$SC$
$x_{12}$	AS	$B$	$SC$	$AS$
$x_{11}$	B	AC	AC	B
	S	A	C	AC

$$= [BS, BC, BA] \cup [AB, SB]$$

$$= BS, BC, BA, AB, SB$$

$\begin{matrix} | & | & | \\ S & A & SC \end{matrix}$

$$\begin{aligned} S &\rightarrow AB|BC \\ A &\rightarrow BA|a \\ B &\rightarrow CC|b \\ C &\rightarrow AB|a \end{aligned}$$

### Shortcut Method

$$\begin{aligned} S &\rightarrow AB|BC \\ A &\rightarrow BA|a \\ B &\rightarrow CC|b \\ C &\rightarrow AB|a \end{aligned}$$

- first 2 rows, same

$x_{13} =$  draw 2 arrows as shown  
take cross of  
bottoms & tips

$x_{15}$				
$x_{14}$	$\emptyset$			
$x_{13}$	$\emptyset$	$x_{24}$	$x_{35}$	
$x_{12}$	AS	$B$	$SC$	$AS$
$x_{11}$	B	AC	AC	B
	S	A	C	AC

$$x_{13} = BB, AA, AC, SA, SC = \emptyset$$

$$\begin{aligned} S &\rightarrow AB|BC \\ A &\rightarrow BA|a \\ B &\rightarrow CC|b \\ C &\rightarrow AB|a \end{aligned}$$

$$x_{24} = AS, AC, CS, CC, BB = B$$

B /

$x_{15}$			
$x_{14}$	$x_{25}$		
$\emptyset$	B	B	
$x_{13}$	$x_{24}$	$x_{35}$	
AS	B	SC	AS
$x_{12}$	$x_{23}$	$x_{34}$	$x_{45}$
B	AC	AC	B
$x_{11}$	$x_{22}$	$x_{33}$	$x_{44}$
			AC
			$x_{55}$

$$x_{25} = AA, AS, CA, CS, SA, SC, CA, CC$$

B /

$x_{15}$			
$\emptyset$	$x_{25}$		
$x_{14}$	$x_{24}$	$x_{35}$	
$\emptyset$	B	B	
$x_{13}$	$x_{23}$	$x_{34}$	$x_{45}$
AS	B	SC	AS
$x_{12}$	$x_{22}$	$x_{33}$	$x_{44}$
B	AC	AC	B
$x_{11}$	$x_{22}$	$x_{33}$	$x_{55}$

$$\begin{aligned} x_{14} &= [x_{11} \times x_{24}] \cup [x_{13} \times x_{44}] \cup \\ &\quad [x_{12} \times x_{34}] \\ &= [B \times B] \cup [\emptyset \times B] \cup [AS \times SC] \\ &= BB, AS, AC, SS, SC \end{aligned}$$

$$\begin{aligned} x_{25} &= [x_{22} \times x_{35}] \cup [x_{24} \times x_{55}] \cup \\ &\quad [x_{23} \times x_{45}] \\ &= [AC \times B] \cup [B \times AC] \cup [B \times AS] \\ &= AB, CB, BA, BC, BS \\ &\quad \swarrow \quad | \quad \downarrow \\ S &\quad C \quad A \quad S \end{aligned}$$

$x_{15}$			
$\emptyset$	$x_{25}$		
$x_{14}$		SCA	
$\emptyset$	B	B	
$x_{13}$	$x_{24}$	$x_{35}$	
AS	B	SC	AS
$x_{12}$	$x_{23}$	$x_{34}$	$x_{45}$
B	AC	AC	B
$x_{11}$	$x_{22}$	$x_{33}$	$x_{44}$
			AC
			$x_{55}$

## GREIBACH NORMAL FORM

- In GNF, only head of the production should be a terminal
- Any number of non-terminals after the first symbol

$$A \rightarrow a\alpha \quad \alpha \in V^* \text{ (variables)}$$

$$A \rightarrow a$$

- No. of derivations = length of string (|W|)
- Grammar should be cleaned (just like in CNF)

### Question 68

Convert to GNF & derive "aababb"

$$\begin{aligned} S &\rightarrow aB \mid bA \\ A &\rightarrow a \mid aS \mid bAA \\ B &\rightarrow b \mid bS \mid aBB \end{aligned}$$

already in GNF

$$\begin{aligned} S &\Rightarrow aB \xrightarrow{1} \\ &\Rightarrow a \xrightarrow{2} aBB \\ &\Rightarrow a \xrightarrow{3} aabSB \\ &\Rightarrow a \xrightarrow{4} aababBB \\ &\Rightarrow a \xrightarrow{5} aababB \\ &\Rightarrow a \xrightarrow{6} aababb \end{aligned}$$

OR

$$\begin{aligned} S &\Rightarrow aB \xrightarrow{1} \\ &\Rightarrow a \xrightarrow{2} aBB \\ &\Rightarrow a \xrightarrow{3} aabB \\ &\Rightarrow a \xrightarrow{4} aababB \\ &\Rightarrow a \xrightarrow{5} aababB \\ &\Rightarrow a \xrightarrow{6} aababb \end{aligned}$$

- length of string = 6

### Question 69

$$\begin{aligned} S &\rightarrow AB \\ A &\rightarrow aA \mid bB \mid b \\ B &\rightarrow b \end{aligned}$$

convert to GNF  
(already cleaned)

Replace A with RHS

$$\begin{aligned} S &\rightarrow aAB \mid bBB \mid bB \\ A &\rightarrow aA \mid bB \mid b \\ B &\rightarrow b \end{aligned}$$

### Question 70

$$S \rightarrow abSb|aa$$

Convert to GNF (using substitution rule)

$$\begin{aligned} A &\rightarrow a \\ B &\rightarrow b \\ S &\rightarrow aBSB \mid aa \end{aligned}$$

### Question 71

$$\begin{aligned} S &\rightarrow ABBb \mid a \\ A &\rightarrow aaA \mid B \\ B &\rightarrow bAB \end{aligned}$$

i) Remove useless

$$\begin{aligned} S &\rightarrow ABBb \mid a \\ A &\rightarrow aaA \mid bAB \\ B &\rightarrow bAB \end{aligned}$$

ii) Remove useless

$S \rightarrow a \rightarrow$  in GNF

### Question 72

$S \rightarrow aSb \mid bSa \mid SS \mid \lambda$

$S \rightarrow \lambda \mid aSb \mid ab \mid bSa \mid ba \mid SS \mid S$

↓

$A \rightarrow a$

$B \rightarrow b$

$S \rightarrow \lambda \mid aSB \mid aB \mid bSA \mid bA$

### Question 73

$S \rightarrow aA \mid bB$

$B \rightarrow bB \mid \lambda$

$A \rightarrow aA \mid \lambda$

$S \rightarrow a \mid aA \mid b \mid bB$


$B \rightarrow bB \mid b$

$A \rightarrow a \mid aa$

## EQUIVALENCE OF CFG & PDA


### Conversion of CFG to PDA

#### Skeleton of PDA



#### Algorithm

- 1) Convert CFG to GNF
- 2) Convert GNF to PDA (productions)



eg:  $S \rightarrow aABC$   $\longrightarrow (a, S | ABC z_0)$

eg:  $T \rightarrow a\_$   $\longrightarrow (a, T | \lambda)$

## Question 74

Convert CFG to PDA

$$\mathcal{L} = \{ww^R \mid w \in \{a,b\}^*\}$$

even palindrome

$$S \rightarrow aSA \mid bSB \mid \lambda$$


1) Convert to GNF

$$A \rightarrow a$$

$$B \rightarrow b$$

$$S \rightarrow aSA \mid bSB \mid \lambda$$

2) Convert to PDA



push	(a: S   SA)
push	(b: S   SB)
pop	(λ: S   λ)
pop	(a: A   λ)
pop	(b: B   λ)

(NPDA)

$w = "abba"$

$$\begin{aligned}
 S &\xrightarrow{lm} ASA \\
 &\Rightarrow abSBA \\
 &\Rightarrow abBA \\
 &\Rightarrow abba \\
 &\Rightarrow abba
 \end{aligned}$$

using

$S \rightarrow aSA$
$S \rightarrow bSB$
$S \rightarrow \lambda$
$B \rightarrow b$
$A \rightarrow a$

$$\delta(q_0, abba, z_0)$$

$$\vdash \delta(q_1, abba, Sz_0)$$

$$\vdash \delta(q_1, -bba, SAz_0)$$

$$\vdash \delta(q_1, --ba, SBAz_0)$$

$$\delta(q_1, ---a, SBAz_0)$$

X

$$\delta(q_1, --ba, BAz_0)$$


$$\vdash \delta(q_1, ---a, Az_0)$$

$$\vdash \delta(q_1, ----, z_0)$$

$$\vdash \delta(q_f, \lambda, z_0)$$

### Question 75

$$\begin{aligned}S &\rightarrow aABC \\A &\rightarrow aB|a \\B &\rightarrow bA|b \\C &\rightarrow a\end{aligned}$$



$$(a:S|ABCz_0)$$

$$(a:A|Bz_0)$$

$$(a:A|\lambda)$$

$$(b:B|Az_0)$$

$$(b:B|\lambda)$$

$$(a:C|\lambda)$$

$w = aababa$

rejected

accepted

neither

accepting path

$\delta(q_0, aababa, z_0)$

$\vdash \delta(q_1, aababa, S_{z_0})$

$\vdash \delta(q_1, -ababa, ABC(z_0))$

pop

push

$\vdash \delta(q_1, --baba, BC(z_0))$

pop

push

$\delta(q_1, ---aba, C(z_0))$

$\vdash \delta(q_1, ---ba, z_0)$

X

push

$\delta(q_1, ---aba, A(z_0))$

pop

$\delta(q_1, ---ba, C(z_0))$

pop

$\delta(q_1, ---ba, BC(z_0))$

pop

push

$\delta(q_1, ---a, A(z_0))$

pop

$\delta(q_1, \lambda, BC(z_0))$

X

X

$\delta(q_1, ----a, C(z_0))$

$\vdash \delta(q_1, -----, z_0)$

$\vdash \delta(q_f, \lambda, z_0)$

✓

$\delta(q_1, --baba, BBC(z_0))$

pop

push

$\delta(q_1, ---aba, BC(z_0))$

X

$\delta(q_1, ---aba, ABC(z_0))$

push

pop

$\delta(q_1, ---ba, BC(z_0))$

pop

$\delta(q_1, ---ba, BBC(z_0))$

push

pop

$\delta(q_1, ----a, BC(z_0))$

X

pop

$\delta(q_1, ----a, C(z_0))$

pop

$\vdash \delta(q_1, -----, z_0)$

✓

$\vdash \delta(q_f, \lambda, z_0)$

push

pop

$\delta(q_1, \lambda, BC(z_0))$

X

$\delta(q_1, \lambda, z_0)$

X

push

pop

$\delta(q_1, ----a, ABC(z_0))$

push

$\delta(q_1, \lambda, BC(z_0))$

X

$\delta(q_1, \lambda, BBC(z_0))$

X